



Fire Hoses with Couplings



Fire Hoses

## LALIZAS Fire Hoses

Circular woven jacket made of 100% high tenacity polyester yarn with an inner EPDM\* or PVC lining.

- Dimensions commonly used within the commercial marine market: 15 m, 20 m, 25 m, 30 m
- Also available in 60 m roll
- Available in the most common hose diameters: 1 -1/2", 1 -3/4", 2", 2-1/2"
- Excellent resistance to seawater, hydrolysis, rot & mildew
- Lightweight & compact
- Extremely low friction loss for maximum flow
- Highly resistant to most chemicals & petrol products
- Max. working pressure 15 Bar
- Fire Hoses SOLAS/MED approved (for diameter 1 1/2" to 2")

\* EPDM lining suggested if exposure to very low temperatures & UV for a longer shelf life.

## Fire Hose Couplings, Fog Nozzles, Jet/Spay Nozzles, Blank Caps & Coupling adapters

**Storz, Nakajima** type made of brass & aluminium  
**Barcelona** type made of aluminium  
**UNI** type made of brass

- Range of standard coupling sizes for marine use: 1,5"/38 mm, 1 3/4"/45mm, 2"/52 mm, 2,5"/64 mm
- Brass provides exceptional resistance to harsh marine environment (corrosion, abrasion & sea salt resistance)



Fog Nozzles



Also available in Barcelona & UNI types

Blank Caps



Also available in UNI type

Jet/Spay Nozzles with Adapters, SOLAS/MED, Set





## Fire Hoses with Couplings

### EPDM Lining

Code	Inner Diam (inch/mm)	Coupling	Length (m)	SOLAS/MED approved
71698	1,5" / 38	Storz 38 Brass	15	Yes
71699			20	
72499			25	
71705	2" / 52	Storz 50 Brass	15	Yes
71706			20	
71707			25	
74460			30	
71711	2,5" / 64	Storz 65 Brass	15	Not applicable
71712			20	
71713			25	
74461			30	
72500	1,5" / 38	Nakajima 38 Brass	15	Yes
72501			20	
72502			25	
72503	2" / 52	Nakajima 50 Brass	15	Yes
72504			20	
72505			25	
74462			30	
72506	2,5" / 64	Nakajima 65 Brass	15	Not applicable
72507			20	
72508			25	
74463			30	
74464	1,5" / 38	Barcelona 45 Aluminium	15	Yes
74465			20	
74466			25	
74467	1 3/4" / 45	Barcelona 45 Aluminium	15	Yes
74468			20	
74469			25	
74470			30	
74475	2,5" / 64	Barcelona 70 Aluminium	15	Not applicable
74476			20	
74477			25	
74478			30	
74479	1 3/4" / 45	UNI 45 Brass	15	Yes
74480			20	
74481			25	
74482			30	

### PVC Lining

Code	Inner Diam (inch/mm)	Coupling	Length (m)	SOLAS/MED approved
75322	1,5" / 38	Storz 38 Brass	15	Yes
75321			20	
75323			25	
75324	2" / 52	Storz 50 Brass	15	Yes
75325			20	
75326			25	
75327			30	
75118	2" / 52	Storz 50 Aluminium	15	Yes
75119			20	
75120			25	
75121			30	
75328	2,5" / 64	Storz 65 Brass	15	Not applicable
75329			20	
75330			25	
75331	1,5" / 38	Nakajima 38 Brass	15	Yes
75332			20	
75333			25	
75334	2" / 52	Nakajima 50 Brass	15	Yes
75335			20	
75336			25	
75337			30	
75338	2" / 52	Nakajima 50 Aluminium	15	Yes
75122			20	
75196			25	
75197			30	
75198	2,5" / 64	Nakajima 65 Brass	15	Not applicable
75339			20	
75340			25	
75341			30	
75342	1,5" / 38	Barcelona 45 Aluminium	15	Yes
75343			20	
75344			25	
75345			30	
75346	1 3/4" / 45	Barcelona 45 Aluminium	15	Yes
75347			20	
75348			25	
75349			30	
75354	2,5" / 64	Barcelona 70 Aluminium	15	Not applicable
75355			20	
75356			25	
75357			30	
75358	1 3/4" / 45	UNI 45 Brass	15	Yes
75359			20	
75360			25	
75361			30	

\*NOTE: Fire Hoses with 2,5"inch/64mm Inner Diameter, which are marked as "Not applicable" are not under the provisions of MED Directive.



## Fire Hoses

### EPDM Lining

Code	Inner Diam (inch/mm)	Length (m)	SOLAS/MED approved
72509	1,5" / 38	15	Yes
72510	1,5" / 38	20	Yes
72511	1,5" / 38	25	Yes
74485	1 3/4" / 45	15	Yes
74486	1 3/4" / 45	20	Yes
74487	1 3/4" / 45	25	Yes
74488	1 3/4" / 45	30	Yes
72512	2" / 52	15	Yes
72513	2" / 52	20	Yes
72514	2" / 52	25	Yes
74484	2" / 52	60	Yes
72515	2,5" / 64	15	Not applicable
72516	2,5" / 64	20	Not applicable
72517	2,5" / 64	25	Not applicable
74483	2,5" / 64	60	Not applicable

### PVC Lining

Code	Inner Diam (inch/mm)	Length (m)	SOLAS/MED approved
75310	1,5" / 38	15	Yes
75311	1,5" / 38	20	Yes
75312	1,5" / 38	25	Yes
75306	1 3/4" / 45	15	Yes
75307	1 3/4" / 45	20	Yes
75308	1 3/4" / 45	25	Yes
75309	1 3/4" / 45	30	Yes
75313	2" / 52	15	Yes
75314	2" / 52	20	Yes
75315	2" / 52	25	Yes
75316	2" / 52	60	Yes
75317	2,5" / 64	15	Not applicable
75318	2,5" / 64	20	Not applicable
75319	2,5" / 64	25	Not applicable
75320	2,5" / 64	60	Not applicable

**\*NOTE:** Fire Hoses with 2,5"inch/64mm Inner Diameter, which are marked as "Not applicable" are not under the provisions of MED Directive.



Storz

## Couplings



Nakajima

Code	Coupling
75116	Storz 50 Aluminium
72518	Storz 38 Brass
72520	Storz 50 Brass
72522	Storz 65 Brass
75117	Nakajima 50 Aluminium
72519	Nakajima 38 Brass
72521	Nakajima 50 Brass
72523	Nakajima 65 Brass
74490	Barcelona 45 tail 1 3/4" Aluminium
74491	Barcelona 45 tail 1 1/2" Aluminium
74492	Barcelona 70 tail 1 1/2" Aluminium
74489	UNI 45 Brass



Barcelona



UNI



## Fog Nozzles, 3 position



Also available in  
Barcelona & UNI types

Code	Fog Nozzle	Code	Fog Nozzle
72524	Storz 38 Brass	72525	Nakajima 38 Brass
72526	Storz 50 Brass	72527	Nakajima 50 Brass
72528	Storz 65 Brass	72529	Nakajima 65 Brass
		74513	UNI 45 Brass

## Blank Caps & Chain



Also available in UNI type

Code	Blank Cap	Code	Blank Cap
74502	Storz 1 1/2" Brass	74508	Barcelona 45 Aluminium
74503	Storz 2" Brass	74509	Barcelona 70 Aluminium
74504	Storz 2 1/2" Brass	74510	UNI 45 Brass
74505	Nakajima 1 1/2" Brass		
74506	Nakajima 2" Brass		
74507	Nakajima 2 1/2" Brass		

## Jet/ Spray Nozzle 3 position with Male Inlet BSP 2", SOLAS/MED



Code	Outlet Opening (mm)
75069	12
75070	16
75071	19

## Adapter Fire Hose Coupling with Female Thread 2" BSP



Code	Coupling	Code	Coupling
75108	Storz 50 Aluminium	75096	Barcelona 45 Aluminium
75072	Storz 38 Brass	75100	Barcelona 70 Aluminium
75076	Storz 50 Brass	75104	UNI 45 Brass
75080	Storz 65 Brass		
75112	Nakajima 50 Aluminium		
75084	Nakajima 38 Brass		
75088	Nakajima 50 Brass		
75092	Nakajima 65 Brass		

## Jet/ Spray Nozzle 3 position

with Adapter, SOLAS/MED, Set



With Adapter Storz

Code	Outlet Opening (mm)	Adapter	Code	Outlet Opening (mm)	Adapter
75073	12	Storz 38 Brass	75109	12	Storz 50 Aluminium
75074	16		75110	16	
75075	19		75111	19	
75077	12	Storz 50 Brass	75081	12	Storz 65 Brass
75078	16		75082	16	
75079	19		75083	19	



With Adapter Nakajima

Code	Outlet Opening (mm)	Adapter	Code	Outlet Opening (mm)	Adapter
75085	12	Nakajima 38 Brass	75113	12	Nakajima 50 Aluminium
75086	16		75114	16	
75087	19		75115	19	
75089	12	Nakajima 50 Brass	75093	12	Nakajima 65 Brass
75090	16		75094	16	
75091	19		75095	19	



With Adapter Barcelona

Code	Outlet Opening (mm)	Adapter
75097	12	Barcelona 45 Aluminium
75098	16	
75099	19	
75101	12	Barcelona 70 Aluminium
75102	16	
75103	19	

With Adapter UNI

Code	Outlet Opening (mm)	Adapter
75105	12	UNI 45 Brass
75106	16	
75107	19	



## Gasket

Code	Gasket
74493	Nakajima, 38 mm
74494	Nakajima, 50 mm
74495	Nakajima, 65 mm
74496	Storz, 38 mm
74497	Storz, 50 mm
74498	Storz, 65 mm
74499	UNI 45
74500	Barcelona 45
74501	Barcelona 70



## Spanner

Code	Spanner
74514	For Storz Couplings up to 3"

# Global Service & Supply Network



- ✓ Global **service network** through owned locations & third-party service providers
- ✓ Global **supply** of **LSA**, **FFE** and **spare parts**
- ✓ Certified quality standards by **major classification societies**
- ✓ **Robust warranty** supported directly by the manufacturer
- ✓ Streamlined **after-sales support** via our ticketing system

***Safety is not just a product, it is an ongoing process!***